

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1350	709/244	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/02 15:49
L2	1332	(switch AND router AND active AND standby AND config\$9) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/02 16:14
L3	31	(switch SAME router SAME active SAME standby SAME config\$9) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/02 16:15
S1	5	"20020083431" "20080019499"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/02 08:40
S2	1021	709/244	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/02 09:11
S3	5360	(switch SAME connection SAME network SAME (config\$7 reconfig\$7)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:04
S4	565	((network NEAR5 switch) SAME (connection NEAR5 (config\$7 reconfig\$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:06
S5	308	((network NEAR5 switch) SAME (connection NEAR5 (config\$7 reconfig\$7))) AND (switch NEAR5 (multipl\$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:14

S6	0	((network NEAR5 switch) SAME (connection NEAR5 (config\$7 reconfig\$7))) AND (network NEAR5 (multipl\$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:15
S7	437	((network NEAR5 switch) SAME (connection NEAR5 (config\$7 reconfig\$7))) AND (network NEAR5 (multipl\$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:15
S8	365	((network NEAR5 switch) SAME (connection NEAR5 (config\$7 reconfig\$7))) AND (network NEAR2 (multipl\$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:16
S9	13	"20020186653" "20010021198" "20030176003" "20040088412" "20020049859"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:51
S10	13	"20020186653" "20010021198" "20030176003" "20040088412" "20020049859"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:53
S11	16	"20020186653" "20010021198" "20030176003" "20040088412" "20020049859" "20040268112"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:53
S12	17	("6748429", "5751967", "6903755", "6788315", "6636239", "6148410", "7076645").FN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:55
S13	867	(router SAME (updat\$4 config\$7) SAME active) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 11:15
S14	578	(router SAME (updat\$4 config\$7) SAME active) AND (network SAME manage\$6) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 11:22

S15	6	((cluster NEAR5 router) SAME (updat\$4 config\$7) SAME active) AND (network SAME manage \$6) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 12:51
S16	3280	((router) SAME (updat\$4 config\$7) SAME (network SAME manage\$6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 13:56
S17	674	((router NEAR2 (updat\$4 config\$7)) SAME (network SAME manage\$6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 13:57
S18	125	((send\$4 distribut\$6) SAME (router NEAR2 (updat\$4 config\$7)) SAME (network SAME manage \$6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 13:59
S19	6	((send\$4 distribut\$6) SAME (cluster NEAR2 (updat\$4 config\$7)) SAME (router SAME network SAME manage\$6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:12
S20	4	((send\$4 distribut\$6) SAME (cluster NEAR2 (updat\$4 config\$7)) SAME (routing NEAR3 table)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:25
S21	673	((send\$4 distribut\$6) SAME (cluster NEAR2 (updat\$4 config\$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:46
S22	180	((send\$4 distribut\$6) NEAR5 (cluster NEAR2 (updat\$4 config\$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:47
S23	2	((send\$4 distribut\$6 transmit\$5) NEAR3 (rout \$5 NEAR2 table)) SAME (cluster NEAR2 (updat\$4 config\$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 15:57

S24	0	((send\$4 distribut\$6 transmit\$5) NEAR3 (failover)) SAME (cluster NEAR2 (updat\$4 config \$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:17
S25	10	((send\$4 distribut\$6 transmit\$5) NEAR3 (failover)) SAME (cluster)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:18
S26	35	((send\$4 distribut\$6 transmit\$5) NEAR3 (failover)) AND (cluster SAME failover)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:30
S27	4	("4720782", "6725264"). PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:06
S28	1646	(cluster NEAR2 manag\$7) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:30
S29	103	((cluster NEAR2 manag \$7) SAME (router switch)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:30
S30	864	((cluster NEAR2 manag \$7) AND (config\$7 SAME (node router switch server))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:34
S31	313	((cluster NEAR2 manag \$7) SAME config\$7) AND (config\$7 SAME (node router switch server))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:35
S32	273	(router SAME switch SAME cluster) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:13

S33	5	(router SAME switch SAME cluster SAME (standby stand-by secondary backup back-up) SAME (active primary)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:22
S34	477	(cluster SAME failover) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:14
S35	24	(cluster SAME failover SAME switch) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:14
S36	86	(failover SAME (switch NEAR2 (failed fail failure))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:29
S37	35	(failover SAME ((node switch router server) NEAR2 (failed fail failure)) SAME (update reconfig \$6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:48
S38	2	("6584499").FN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/06 13:19
S39	277	(router SAME cluster SAME (update reconfig\$6 config\$6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/20 16:02
S40	23	(router SAME cluster SAME (update reconfig\$6 config\$6) SAME table) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/20 16:42
S41	41	(cluster NEAR3 (update reconfig\$6 config\$6) NEAR3 table) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/20 16:59

S42	2	(cluster NEAR3 (update reconfig\$6 config\$6) NEAR3 (rout\$6 NEAR2 table)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/20 17:01
S43	31	(cluster SAME ((update reconfig\$6 config\$6) NEAR3 (rout\$6 NEAR2 table))) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/20 17:15
S44	18274	(rout\$5 SAME table SAME (updat\$5 modif\$8 chang\$6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 09:40
S45	3065	((rout\$5 ADJ table) NEAR3 (updat\$5 modif\$8 chang\$6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 09:41
S46	44	((((rout\$5 ADJ table) NEAR3 (updat\$5 modif\$8 chang\$6)) SAME cluster \$5) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 09:42
S47	2	("6493341").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 09:51
S48	33	("6493341").URFN.	USPAT	OR	ON	2011/07/27 10:17
S49	13	("20050177762"   "5313465"   "5907610"   "5949753"   "6295276"   "6493341"   "6587434"   "6594229"   "6606650"   "6628649"   "7006431"   "7136931"   "7152179"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/07/27 10:27
S50	35	("20020059114"   "20030172145"   "20040117438"   "5181236"   "5774660"   "5905736"   "5951694"   "5956391"   "5970477"   "6006264"   "6016305"   "6047051"   "6128642"   "6128657"   "6137777"   "6185619"   "6201962"   "6249801"   "6263368"   "6266335"   "6327622"   "6330602"   "6393458"	US-PGPUB; USPAT; USOCR	OR	ON	2011/07/27 10:47

		"6434618"   "6442165"   "6473802"   "6484143"   "6493341"   "6601084"   "6665702"   "6718359"   "7139926"   "7346676"   "7441045"   "7523181"). PN.				
S51	10	((((root\$5 ADJ table NEAR3 (updat\$5 modif\$8 chang\$6)) NEAR5 cluster \$5) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:05
S52	44	((((root\$5 ADJ table NEAR3 (updat\$5 modif\$8 chang\$6)) NEAR5 active) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:08
S53	4	((((root\$5 ADJ table NEAR3 (updat\$5 modif\$8 chang\$6)) SAME (active ADJ router) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:31
S54	37	((((root\$5 ADJ table NEAR3 (updat\$5 modif\$8 chang\$6)) SAME (load ADJ balanc\$6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:37
S55	2	((((root\$5 ADJ table NEAR3 (updat\$5 modif\$8 chang\$6)) SAME (load ADJ balanc\$6) SAME active) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:38
S56	114	(cluster SAME console SAME manag\$8) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:47
S57	50	(cluster SAME console SAME manag\$8) AND ((updat\$5 modif\$8 chang \$6) SAME active) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:51
S58	2	(cluster SAME console SAME manag\$8) AND ((updat\$5 modif\$8 chang \$6) SAME active SAME standby) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/27 12:52

S59	5	(cluster SAME console) AND ((updat\$5 modif\$8 chang\$6) SAME active SAME standby) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/31 14:24
S60	0	(cluster SAME failover SAME (rout\$4 ADJ table)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/01 07:42
S61	42	(failover SAME (rout\$4 ADJ table)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/01 07:43
S62	23	(failover SAME (rout\$4 ADJ table) SAME (updat\$5 chang\$5 modif\$5)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/01 07:56
S63	49	((failover (active NEAR3 router)) SAME (rout\$4 ADJ table) SAME (updat\$5 chang\$5 modif\$5)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/01 08:13

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	24	(switch router active standby config\$9).clm.	USPAT; UPAD	AND	ON	2011/11/02 16:27

11/ 2/ 2011 4:34:48 PM

H:\ EASTWorkspaces\ 10663161.wsp